



**DETAIL A**  
SCALE: NTS



**SECTION 1**  
SCALE: NTS




**DETAIL B**  
SCALE: NTS

**NOTES:**


1. EXACT PROFILE TO BE SUBMITTED TO DISTRICT FOR APPROVAL.
2. CONCRETE EDGING SHALL NOT BE PRECAST. CAST CONCRETE IN PLACE.

**CONSTRUCTION NOTE DESIGNATIONS**


- (R1) CONNECT 2 INCH PVC SCH 80 TO EXISTING 2 INCH VALVE AND PVC PIPE
- (R2) INSTALL 2 INCH PVC SCH 80 WITH SCH 80 PVC GLUED FITTINGS AS REQUIRED
- (R3) INSTALL 1 INCH PVC SCH 40 PIPE WITH SCH 80 GLUED FITTINGS  
INSTALL RAINBIRD ADJUSTABLE 0-360 DEGREE SPRINKLERS (SUBMIT TO DISTRICT FOR APPROVAL)  
INSTALL SPRINKLERS EVERY 10 FOOT MAX WITH FSWG100 EZ PIPE AND TEE (OR APPROVED EQUAL)
- (R4) INSTALL 2 INCH GATE VALVE, IRRIGATION BOX, AND AUTOMATIC CONTROL VALVE (SUBMIT TO DISTRICT FOR APPROVAL)
- (R5) INSTALL 2 INCH PVC WATER PIPE INSIDE EXISTING PVC SLEEVE UNDER CONCRETE SIDEWALK
- (R6) INSTALL 2 INCH PVC PIPE FOR IRRIGATION CONTROL WIRES INSIDE EXISTING PVC SLEEVE UNDER CONCRETE SIDEWALK
- (R7) CONNECT 2 INCH PVC TO EXISTING 2 INCH PVC WITH GLUED PVC TEE AND FITTINGS AS REQUIRED
- (R8) INSTALL 1 INCH PVC SCH 40 WITH GLUED FITTINGS AS REQUIRED (FOR HOSE BIBS)  
RISERS SHALL BE METAL VERTICAL PIPE, EMBEDDED 18 INCH MIN IN CONCRETE AND 6 INCH DIAMETER CONCRETE BASE  
INSTALL THREE (3) TOTAL HOSE BIBS AND RISERS. LOCATE TO BE APPROVED BY THE DISTRICT
- (R9) INSTALL 2 INCH GATE VALVE, IRRIGATION BOX AND CAP LINE (SUBMIT TO DISTRICT FOR APPROVAL)  
PULL THROUGH ALL REMAINING IRRIGATION CONTROL WIRES FOR ALL REMAINING IRRIGATION ZONES AND CAP LINE
- (R10) INSTALL HUNTER I-30 IRRIGATION HEADS THROUGHOUT ZONE EVERY 25 LF FEET MAXIMUM AS REQUIRED (TYP)
- (R11) INSTALL 5/8 FLEXIBLE IRRIGATION DRIP LINE 6 INCHES NATIVE COVER WITH STAKES AS REQUIRED.  
INSTALL DRIP LINES AS REQUIRED  
CONTRACTOR SHALL SUBMIT FOR APPROVAL AND SUPPLY A MIX OF PLANTS SIZES:  
(75% - 1 GALLON)  
(25% - 2 GALLON)  
CONTRACTOR SHALL SUPPLY AS MANY PLANTS REQUIRED THAT ALLOWS NO MORE THAN THREE (3) FOOT MAXIMUM SPACING  
CONTRACTOR SHALL SUPPLY BARK, MINIMUM 3 INCH DEEP WITH WEED HEAVY DUTY BARRIER  
BARK SHALL BE REDWOOD OR CEDAR, GORILLA HAIR BY VALLEY ROCK OR APPROVED EQUAL  
CONTRACTOR SHALL SUBMIT FOR APPROVAL ALL TREES, BARK AND WEED BARRIER FOR DISTRICT APPROVAL
- (R12) AREAS AROUND TREE SHALL BE KEPT NATIVE MATERIAL  
6 INCH MIN FLEXIBLE BARRIER SHALL BE INSTALLED ALL AROUND WITHIN A 5 FOOT RADIUS OF THE TREE TRUNK  
HOWEL PATHWAYS BARRIER BOARD OR APPROVED EQUAL AND METAL STAKES EVERY 3 LF ALONG BARRIER
- (R13) INSTALL NEW SOD  
INSTALL 2 INCH MINIMUM PLANTING SOIL AND TILL INTO NATIVE MATERIAL  
CONTRACTOR SHALL SUBMIT TOPSOIL TO DISTRICT FOR APPROVAL  
REMOVE AND DISPOSE OF ANY EXCESS SOIL AND ANY EXISTING BARK ONSITE AT THE CONTRACTORS EXPENSE
- (R14) CONNECT TO EXISTING IRRIGATION CONTROL BOX THROUGH EXISTING PVC SLEEVE
- (R15) INSTALL NEW LANDSCAPING ELECTRICAL PLASTIC BOX  
PULL CONTROL WIRE AND SPLICE AS REQUIRED
- (R16) INSTALL 1.5 INCH ELECTRICAL CONDUIT FOR IRRIGATION CONTROL WIRE
- (R17) INSTALL 8 INCH DEEP 3-5 INCH ROUND MIXED COBBLE, THREE (3) FEET WIDE  
CUT EXISTING SOIL 8 INCHES AND DISPOSE ONSITE
- (R18) INSTALL 8 INCH DEEP 4-6 INCH ROUND MIXED COBBLE, SIX (6) FEET WIDE  
CUT OUT EXISTING SOIL AS REQUIRED AND DISPOSE ONSITE  
EACH SIDE OF THE CROSS SECTION OF THE CHANNEL SHALL SLOPE TOWARD THE CENTERLINE OF THE CHANNEL
- (R19) INSTALL 5 GAL CONVERSATION PIECE AZALEA PLANT BEHIND SIDEWALK, TOTAL OF 30 PLANTS, 82 LF +/-
- (R20) INSTALL 5 GAL CONVERSATION PIECE AZALEA PLANT BEHIND SIDEWALK, TOTAL OF 25 PLANTS, 70 LF +/-
- (R21) INSTALL 15 GAL JAPANESE MAPLE TREE
- (R22) INSTALL 5 GAL OLEANDER PLANT (MIXED COLOR) ALONG FENCE LINE, SPACED NO MORE THAN 5' O.C., 40 PLANTS TOTAL
- (R23) INSTALL 1 INCH PVC SCH 40 PIPE AND GLUED FITTINGS AS REQUIRED
- (R24) INSTALL RAIN BIRD ESP-ME3 19 STATION WIFI READY INDOOR/OUTDOOR CONTROLLER IRRIGATION CONTROL SYSTEM  
AS REQUIRED INSIDE BUILDING STORAGE ROOM  
CONNECT TO EXISTING CONDUIT STRIP INSIDE BUILDING
- (R25) INSTALL CONCRETE EDGING COMPLETE  
SEE DETAIL B, SHEET C2
- (R26) INSTALL 2 INCH PVC SCH 40 WITH SCH 40 PVC GLUED FITTINGS AS REQUIRED



**SECTION 2**  
SCALE: NTS



**SECTION 3**  
SCALE: NTS



**SECTION 4**  
SCALE: NTS

NEWCASTLE ROCKLIN GOLD HILL CEMETERY DISTRICT  
850 TAYLOR ROAD, NEWCASTLE, CA 95658  
**ROCKLIN PAVILION**  
**LANDSCAPING DETAILS**  
Newcastle Placer County California

Prepared under the Direction of:  
  
REGISTERED PROFESSIONAL ENGINEER  
JAMES W. PINOCCIO  
No. 80506  
CIVIL  
STATE OF CALIFORNIA

REVISIONS	DATE
ADDENDUM 1	09/11/25

JOB # 2024.2  
DESIGNED JP  
DRAWN JP  
CHECKED JP  
DATE 10/30/2024  
SCALE AS SHOWN

SHEET **C2**