



LEDGED

SEE NOTE R11

SEE NOTE R13

CONNECT ROCK CHANNEL TO EXISTING STORM DRAIN OUTFALL. GRADE AND ALIGN AS REQUIRED. WIDTH AND ALIGNMENT SHOWN MAY VARY AND ANY ADDITIONAL COST ASSOCIATED WITH THIS WORK WILL NOT BE AWARDED.

CONSTRUCTION NOTE DESIGNATIONS

- R1 CONNECT 2 INCH PVC SCH 80 TO EXISTING 2 INCH VALVE AND PVC PIPE
- R2 INSTALL 2 INCH PVC SCH 80 WITH SCH 80 PVC GLUED FITTINGS AS REQUIRED
- R3 INSTALL 1 INCH PVC SCH 40 PIPE WITH SCH 80 GLUED FITTINGS
INSTALL RAINBIRD ADJUSTABLE 0-360 DEGREE SPRINKLERS (SUBMIT TO DISTRICT FOR APPROVAL)
INSTALL SPRINKLERS EVERY 10 FOOT MAX WITH FSWG100 EZ PIPE AND TEE (OR APPROVED EQUAL)
- R4 INSTALL 2 INCH GATE VALVE, IRRIGATION BOX, AND AUTOMATIC CONTROL VALVE (SUBMIT TO DISTRICT FOR APPROVAL)
- R5 INSTALL 2 INCH PVC WATER PIPE INSIDE EXISTING PVC SLEEVE UNDER CONCRETE SIDEWALK
- R6 INSTALL 2 INCH PVC PIPE FOR IRRIGATION CONTROL WIRES INSIDE EXISTING PVC SLEEVE UNDER CONCRETE SIDEWALK
- R7 CONNECT 2 INCH PVC TO EXISTING 2 INCH PVC WITH GLUED PVC TEE AND FITTINGS AS REQUIRED
- R8 INSTALL 1 INCH PVC SCH 40 WITH GLUED FITTINGS AS REQUIRED (FOR HOSE BIBS)
RISERS SHALL BE METAL VERTICAL PIPE, EMBEDDED 18 INCH MIN IN CONCRETE AND 6 INCH DIAMETER CONCRETE BASE
INSTALL THREE (3) TOTAL HOSE BIBS AND RISERS. LOCATE TO BE APPROVED BY THE DISTRICT
- R9 INSTALL 2 INCH GATE VALVE, IRRIGATION BOX AND CAP LINE (SUBMIT TO DISTRICT FOR APPROVAL)
PULL THROUGH ALL REMAINING IRRIGATION CONTROL WIRES FOR ALL REMAINING IRRIGATION ZONES AND CAP LINE
- R10 INSTALL HUNTER 1-30 IRRIGATION HEADS THROUGHOUT ZONE EVERY 25 LF FEET MAXIMUM AS REQUIRED (TYP)
INSTALL DRIP LINES AS REQUIRED
CONTRACTOR SHALL SUBMIT FOR APPROVAL AND SUPPLY A MIX OF PLANTS SIZES:
75% - 1 GALLON
25% - 2 GALLON
CONTRACTOR SHALL SUPPLY AS MANY PLANTS REQUIRED THAT ALLOWS NO MORE THAN THREE (3) FOOT MAXIMUM SPACING
CONTRACTOR SHALL SUPPLY BARK, MINIMUM 3 INCH DEEP WITH WEED HEAVY DUTY BARRIER
BARK SHALL BE REDWOOD OR CEDAR, GORILLA HAIR BY VALLEY ROCK OR APPROVED EQUAL
CONTRACTOR SHALL SUBMIT FOR APPROVAL ALL TREES, BARK AND WEED BARRIER FOR DISTRICT APPROVAL
- R12 AREAS AROUND TREE SHALL BE KEPT NATIVE MATERIAL
6 INCH MIN FLEXIBLE BARRIER SHALL BE INSTALLED ALL AROUND WITHIN A 5 FOOT RADIUS OF THE TREE TRUNK
HOWELL PATHWAYS BARRIER BOARD OR APPROVED EQUAL AND NIAL METAL STAKES EVERY 3 LF ALONG BARRIER
- R13 INSTALL NEW SOD
INSTALL 2 INCH MINIMUM PLANTING SOIL AND TILL INTO NATIVE MATERIAL
CONTRACTOR SHALL SUBMIT TOPSOIL TO DISTRICT FOR APPROVAL
REMOVE AND DISPOSE OF ANY EXCESS SOIL AND ANY EXISTING BARK ONSITE AT THE CONTRACTORS EXPENSE
- R14 CONNECT TO EXISTING IRRIGATION CONTROL BOX THROUGH EXISTING PVC SLEEVE
- R15 INSTALL NEW LANDSCAPING ELECTRICAL PLASTIC BOX
PULL CONTROL WIRE AND SPLICE AS REQUIRED
- R16 INSTALL 1.5 INCH ELECTRICAL CONDUIT FOR IRRIGATION CONTROL WIRE
- R17 INSTALL 8 INCH DEEP 3-5 INCH ROUND MIXED COBBLE, THREE (3) FEET WIDE
CUT EXISTING SOIL 8 INCHES AND DISPOSE ONSITE
- R18 INSTALL 8 INCH DEEP 4-6 INCH ROUND MIXED COBBLE, SIX (6) FEET WIDE
CUT OUT EXISTING SOIL AS REQUIRED AND DISPOSE ONSITE
EACH SIDE OF THE CROSS SECTION OF THE CHANNEL SHALL SLOPE TOWARD THE CENTERLINE OF THE CHANNEL
- R19 INSTALL 5 GAL CONVERSATION PIECE AZALEA PLANT BEHIND SIDEWALK, TOTAL OF 30 PLANTS, 82 LF +/-
- R20 INSTALL 5 GAL CONVERSATION PIECE AZALEA PLANT BEHIND SIDEWALK, TOTAL OF 25 PLANTS, 70 LF +/-
- R21 INSTALL 15 GAL JAPANESE MAPLE TREE
- R22 INSTALL 5 GAL OLEANDER PLANT (MIXED COLOR) ALONG FENCE LINE, SPACED NO MORE THAN 5' O.C., 40 PLANTS TOTAL
- R23 INSTALL 1 INCH PVC SCH 40 PIPE AND GLUED FITTINGS AS REQUIRED
- R24 INSTALL RAIN BIRD ESP-ME3 19 STATION WIFI READY INDOOR/OUTDOOR CONTROLLER IRRIGATION CONTROL SYSTEM
AS REQUIRED INSIDE BUILDING STORAGE ROOM
CONNECT TO EXISTING CONDUIT STRIP INSIDE BUILDING
- R25 INSTALL CONCRETE EDGING COMPLETE
SEE DETAIL B, SHEET C2
- R26 INSTALL 2 INCH PVC SCH 40 WITH SCH 40 PVC GLUED FITTINGS AS REQUIRED

SITE PLAN

SCALE: 1"=10'

NEWCASTLE ROCKLIN GOLD HILL CEMETERY DISTRICT
850 TAYLOR ROAD, NEWCASTLE, CA 95658
ROCKLIN PAVILION
LANDSCAPING PLAN
Newcastle California
Placer County

Prepared under the Direction of:

REGISTERED PROFESSIONAL ENGINEER
JAMES W. PINOCCIO
No. 80506
CIVIL
STATE OF CALIFORNIA

REVISIONS	DATE
ADDENDUM 1	09/11/25

JOB # 2024.2
DESIGNED JP
DRAWN JP
CHECKED JP
DATE 10/30/2024
SCALE AS SHOWN

SHEET **C1**