


**PAVEMENT NOTE DESIGNATIONS**

- (R1) = DIGOUT AND REPAIR, SEE TYPICAL DETAIL 2, SHEET C2
- (R2) = GRIND AND REMOVE COMPLETE SECTION, SEE TYPICAL DETAIL 1, SHEET C2
- (R3) = 1.5 INCH GRIND AND REPLACE, SEE TYPICAL DETAIL 3, SHEET C2
- (R4) = REMOVE EXISTING UTILITY BOX, INSTALL AND RAISE NEW BOX W/ TRAFFIC RATED AND LIFT ASSIST LID SEE DETAIL 8 & 9, SHEET C2. INSTALL 8 INCHES ROAD BASE MINIMUM UNDER EACH BOX, COMPACTED AT 95% R.C.
- (R5) = INSTALL NEW PAVEMENT MARKINGS COMPLETE TO MATCH EXISTING



INSTALL 8 INCH HDPE STORM DRAIN LINE. 16 INCH WIDE TRENCH. BACKFILL WITH SAND UNDER AND AROUND PIPE AND NATIVE ABOVE. SECTION WITHIN ROADWAY SHALL HAVE A MINIMUM OF 3 INCHES CLASS II BASE AND 3 INCHES AC PAVEMENT.

INSTALL NEW JENSEN BOX SPECIFIED IN DETAIL 7, SHEET C2. INCLUDE RISERS AS REQUIRED TO MATCH ELEVATIONS OF EXISTING STORM LINE AND SURFACE.

CONNECT TO EXISTING LINE AS REQUIRED. POTHOLE TO DETERMINE EXACT SIZE, DEPTH AND LOCATION AS REQUIRED.

APPROXIMATE LOCATION OF EXISTING STORM DRAIN LINE.

ADD AC PAVEMENT WITH LARGER RADIUS. LAYOUT TO BE FIELD APPROVED BY ENGINEER PRIOR TO INSTALLATION.

WHERE NEW PAVEMENT AREAS ARE WITHIN EXISTING NON-PAVED SECTIONS, INSTALL SECTION PER DETAIL 1, SHEET C2

WIDEN EXISTING ROADWAY 3' +/- PER SECTION DETAIL 5, SHEET C2

ADD 6 INCH CONCRETE VERTICAL CURB AND CONNECT TO AND AROUND EXISTING DOWNSTREAM STORM DRAIN INLET.

SEE DETAIL 6, SHEET C2 FOR CONCRETE VERTICAL CURB.

FIELD APPROVE LAYOUT CURB, ELEVATION AND ALIGNMENT WITH ENGINEER PRIOR TO START OF WORK.

INSTALL NEW DRAIN BOX AND GRATE. JENSEN BOX AND MODIFICATIONS PER DETAIL 7, SHEET C2.

REMOVE EXISTING SD BOX, GRATE AND PIPE COMPLETE. GRADE NEW ASPHALT AND SURROUNDING SURFACE AS REQUIRED TO GRADE TOWARD NEW CURB.

GRIND 1.5" INTO EXISTING PAVEMENT 12"

WIDEN EXISTING ROADWAY 3' +/- PER SECTION DETAIL 4, SHEET C2

ADD 6 INCH CONCRETE VERTICAL CURB AND CONNECT TO AND AROUND EXISTING DOWNSTREAM STORM DRAIN INLET.

SEE DETAIL 6, SHEET C2 FOR CONCRETE VERTICAL CURB.

FIELD APPROVE LAYOUT CURB, ELEVATION AND ALIGNMENT WITH ENGINEER PRIOR TO START OF WORK.

**PAVEMENT PLAN**  
SCALE: 1"=40'

NEWCASTLE ROCKLIN GOLD HILL CEMETERY DISTRICT  
850 TAYLOR ROAD, NEWCASTLE, CA 95658

**PAVEMENT PLAN**

Newcastle Placer County California

Prepared under the Direction of:

REVISIONS	DATE
BID SET	06/02/2026
▲	06/08/2026

JOB #	2025.1
DESIGNED	JP
DRAWN	JP
CHECKED	JP
DATE	06/02/2026
SCALE	AS SHOWN

SHEET **C1**